



# SPECTRE

A COLLECTION BY MERIDIAN

**8x3** Perfection

Designed for Your Interiors



# SPECTRE

A COLLECTION BY MERIDIAN

Only for interior and vertical use. Horizontal use & use in humid environments are limited. All standards base material like plywood, block board, MDF etc. used for laminates are also suitable for Meridian laminates. Just like all normal high pressure laminates, Meridian laminates can be sawn, drilled and milled using carbidetipped cutting tools.

Size : 2400mm x 900mm

Thickness : Standard production of 6mm

Customers and designers rely on our exclusive inventory and knowledgeable staff.

**MERIDIAN** is available in Pan INDIA through our distributor network, so you can receive panels quickly, easily & affordably.

We look forward to working with you on your next project



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE




LESS WASTAGE



**DP 854 / 855**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION



FORMALDEHYDE




LESS WASTAGE



**DP 849/865**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION



FORMALDEHYDE




LESS WASTAGE



DP 841/814





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION




FORMALDEHYDE



LESS WASTAGE

DP 835/955





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION



FORMALDEHYDE



LESS WASTAGE

DP 830 / 804



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE




LESS WASTAGE



**DP 832/805**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE




LESS WASTAGE



**DP 840/852**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE



LESS WASTAGE

**DP 850/811**



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE



LESS WASTAGE



**DP 851/935**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION




FORMALDEHYDE



LESS WASTAGE

DP 853/897





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION



FORMALDEHYDE



LESS WASTAGE



**DP 855/886**



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION




FORMALDEHYDE



LESS WASTAGE



**DP 856/852**



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE




LESS WASTAGE



**DP 857/930**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION



FORMALDEHYDE



LESS WASTAGE

DP 858/975





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE



LESS WASTAGE

DP 859/802





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION



FORMALDEHYDE




LESS WASTAGE



**DP 860/811**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION



FORMALDEHYDE




LESS WASTAGE



**DP 836/805**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION



FORMALDEHYDE




LESS WASTAGE



DP 837/883





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION



FORMALDEHYDE



LESS WASTAGE



**DP 831/860**



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE



LESS WASTAGE



**DP 833/814**



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE




LESS WASTAGE



**DP 834/811**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION



FORMALDEHYDE




LESS WASTAGE



DP 838/804





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE



LESS WASTAGE

**DP 839/865**



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION




FORMALDEHYDE



LESS WASTAGE



**DP 845 / 805**



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE



LESS WASTAGE



DP 846/920



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE




LESS WASTAGE



**DP 847/955**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE



LESS WASTAGE



**DP 842/935**



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE




LESS WASTAGE



**DP 843/855**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION




FORMALDEHYDE



LESS WASTAGE



DP 844/827



## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER  
SURFACE

### USES

DOORS , WALLS , WARDROBE  
CEILING

## PRODUCT FEATURES

Only for interior and vertical use.  
Horizontal use and use in humid  
environments are limited.

MERIDIAN Panels can be sawn, drilled and  
milled using carbide tipped cutting tools.



TERMITE  
RESISTANT



BORER  
FREE



QUICK  
INSTALLATION



FORMALDEHYDE




LESS WASTAGE



**DP 848/980**





## PRODUCT SPECIFICATION

### DIMENSION

2400mm X 900mm (8X3) apx.

### THICKNESS

6mm

### FINISH

MATT FINISH WITH POLYMER SURFACE

### USES

DOORS , WALLS , WARDROBE CEILINGS

## PRODUCT FEATURES

Only for interior and vertical use. Horizontal use and use in humid environments are limited.

MERIDIAN Panels can be sawn, drilled and milled using carbide tipped cutting tools.



TERMITE RESISTANT



BORER FREE



QUICK INSTALLATION



FORMALDEHYDE



LESS WASTAGE



DP 852/945

